



CODE QUIZ

March 2024

1. Per Section 2303.1.1.2 of the 2022 California Building Code end-jointed lumber used in an assembly required to have a fire resistance rating shall have the designation _____ included in its grade mark.
 - a. End jointed lumber is not permitted in fire rated assemblies.
 - b. 1-HR Maximum Fire Rated or 1-HR-FR
 - c. Heat Resistant Adhesive or HRA
 - d. Fire Rated Assembly or FRA
2. Per Section 2304.3.3 of the 2022 California Building Code wood walls and bearing partitions shall not support more than _____ floors and a roof unless an analysis satisfactory to the building official shows that shrinkage of the wood framing will not have an adverse effect on the structure or any plumbing, electrical, or mechanical systems or other equipment installed therein due to excessive shrinkage or differential movements caused by shrinkage.
 - a. One floor
 - b. Two floors
 - c. Three floors
 - d. Four floors
 - e. Five floors
3. Per Section 1803.3.1 of the 2022 California Building Code, for other than OSHPD regulated facilities, a minimum of two borings or two test pits are required as part of the scope of a geotechnical investigation.
 - a. True
 - b. False
4. Per Section 402.1 of the 2022 California Existing Building Code, replacement glazing in hazardous locations shall comply with the safety glazing requirements of the 2022 California Building Code or the 2022 California Residential Code as applicable.
 - a. True
 - b. False
5. Per Part 8 of the California Historical Building Code (CHBC) in order to use the provisions of the CHBC, the structure under consideration must be qualified by being:
 - a. At least 50 years old
 - b. Designated as an historical building or structure.
 - c. Deemed of importance to the history, architecture, or culture of an area by an appropriate local or state governmental jurisdiction.
 - d. Be on a city or county register or inventory of historical or architecturally significant sites, places, historic districts or landmarks.
 - e. All the above.
 - f. b, c and d above.